




CHIPPING HAMMER



COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)		
69678	500	320	27	150	27	27	6	●


To clean weld points.






TECHNICAL SPECIFICATION

Hickory wood



NYLON HAMMER



COD.		L (mm)	A (mm)	B (mm)				
55325	235	290	26	80	6	●	84210	85426
55326	340	310	30	85			84211	85427
55327	490	315	35	95			84212	85428


They are hammers that are used in order to damage and mark as little as possible the surfaces on which they are hit.




TECHNICAL SPECIFICATION

Hickory wood



BLACK RUBBER MALLET



COD.		L (mm)	Ø A (mm)	B (mm)		
69520	340	320	60	100	2	●
69521	450	340	65	115		
69726	900	350	80	125		


Special for tiling jobs and for general adjustment uses.





TECHNICAL SPECIFICATION

Hickory wood



SQUARE COPPER MALLET



COD.		 O.D. mm	L (mm)	A (mm)	B (mm)	C (mm)		
69728	500	30	240	26	77	29	6	●
69729	1000	35	260	36	88	39	4	
69730	1500	40	280	41	99	43		

For hammering and shaping without causing damage to the actual work piece. Copper is a soft material that conducts heat and electricity well but does not produce sparks. Ideal for the oil industry, metal mining, coal mining, oil extraction, etc.

TECHNICAL SPECIFICATION

Hickory wood

