

MEASURING TAPES

EGA Master measuring tapes are very useful tools, not only for technician specialist, but for any specialty. **Double action safety blocking and braking** for maximum comfort. For its flexibility and the small space it occupies, makes ideal and **more interesting than other measurement tools.**



1. Double action safety blocking and braking for maximum comfort.




2. ExtraResistant returning spring equipped with Rapid Change quick blade-replacing system.

3. Antishock reinforced hooks for the toughest jobs.

4. The case is manufactured in two materials, ABS + Elastomer, providing high resistance to shocks and abrasion.

MAGNET C **5.** The range has models with powerful magnetic hook to facilitate measuring, especially in vertical position.

6. All tapes have anti-glare Surface treatments, continuous graduation and large print for easy Reading.



7. Marked on both sides.

Additional specific features for each model

BI-MAT ABS + Elastomer antishock and antiabrasion bimaterial case.

CHROME Chromed plated case. Unlimited life antishock cases.

NYLON MASTER nylon coating, 15 times more resistant against abrasion and rust. Dirt antiadherence and non-reflecting.

URAR 10 TIMES more resistant against abrasion and rust. Dirt antiadherence and non-reflecting.

INOX Tape and all metallic components made in **Stainless Steel** to work under the most humid environmental conditions.

PLATINUM Q



COD	L	CLIP			gr.	
65706	3m/16mm				110	
65707	5m/19mm	●	mm	●	180	12
65708	8m/25mm				350	
65721	3m/10'x16mm				110	
65722	5m/16'x 19mm	●	mm/inch.	●	180	12
65723	8m/26'x25mm				350	

BMAT **MATT** *NYLON* **DOUBLE MARK**

PLATINUM Q MAGNET



COD	L	CLIP			gr.	
65709	5m/25mm	●	mm	●	210	12
65710	8m/25mm				350	
65724	5m/16'x25mm	●	mm/inch.	●	210	12
65725	8m/26'x25mm				350	

BMAT **MATT** *NYLON* **MAGNET** **DOUBLE MARK**

INOX



COD	L	CLIP			gr.	
65163	5m/19mm	●	mm	●	210	12
65355	3m/10'x16mm	●	mm/inch.	●	110	12
65356	5m/16'x19mm				210	

BMAT **INOX** **MATT** *NYLON*

ROBUST II



COD	L	CLIP			gr.	
65164	3m/19mm				110	15
65165	5m/25mm	●	mm	●	225	12
65166	8m/25mm				420	
65357	3m/10'x19mm				110	15
65358	5m/16'x25mm	●	mm/inch.	●	225	12
65359	8m/26'x25mm				420	

BMAT **MATT** *NYLON*

ROBUST II MAGNET



COD	L	CLIP	CLIP	CLIP	CLIP	gr.	gr.
65167	5mx25mm	●	●	mm	●	●	220 12
65360	5m/16'x25mm	●	●	mm/inch.	●	●	220 12

RANG

	19mm	25mm	25mm
	-	-	●
	2m	2,4m	2,3m
	2,8m	3,7m	3,5m

CHROME



COD	L	CLIP	CLIP	CLIP	CLIP	gr.	gr.
65168	3mx16mm	●	●	mm	●	●	120 12
65170	8mx25mm	●	●	mm	●	●	330 12

CHROME **MATT** **URAR**

RALLYE II



COD	L	CLIP	CLIP	CLIP	CLIP	gr.	gr.
65171	2mx16mm	●	●	mm	●	●	105 20
65172	3mx16mm	●	●	mm	●	●	120 20
65173	5mx19mm	●	●	mm	●	●	200 18
65174	8mx25mm	●	●	mm	●	●	330 12
65361	2m/6'x16mm	●	●	mm	●	●	105 20
65362	3m/10'x16mm	●	●	mm	●	●	120 20
65363	5m/16'x19mm	●	●	mm/inch.	●	●	200 18
65364	8m/26'x25mm	●	●	mm/inch.	●	●	330 12

BMAT **MATT** **URAR** **2 STOPS**

RANG

	16mm	19mm	25mm
	1,6m	1,8m	2,3m
	1,9m	2,2m	3,1m