



Fall protection

LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim



Specific benefits



Durability

· High webbing tenacity thanks to its weave and width

Applications

- Agriculture
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

Certifications and norms

EN354



EN 795

TYPE B

Protects against risks



Fall



Fall protection

LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim

Standards - Details

Technical details

Type of equipment	Extension strap in high tenacity polyester with D-ring.
Composition of the main support	Steel, Polyester
Strap width	45mm
Length	0,5 m
Width	1.7685 inch
Width	45 mm
Color	Black-Orange
SIZE	0,50 m
Ending	Loop with shrinkage
Lifespan from manufacturing	10 years
Weight	0,300 kg
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



Fall protection

LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
LV102050	Black-Orange	0,50 m	LV102050	3295249204631	13295249204638	15	1	3.6 kg