

### PETRO VE780



# PVC COATED COTTON LINED GLOVE OIL TYPE **Model** VE780





#### Product specifications

Chemical PVC. PVC on cotton knitted lining gauge 13. Rough-textured hand. Length: 30 cm. Thickness: 1.30 mm.

Support: cotton. Coating: PVC.

Thickness: 1,30 mm.

### COLOUR

Blue

#### SIZE

08, 09, 10



Product Features and Benefits						
>1,30 MM						
0% SILICONE LATEX						
30						
	Textured structure	Good grip of handled objects				
	PVC	Good resistance to abrasion Material very resistant to oils, chemicals and petroleum derivatives				



### Certifications and Standards

### CE

### **REGULATION (EU) 2016/425**

### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 4: Resistance to abrasion (from 1 to 4)
- 1: Resistance to cutting (from 1 to 5)
- 3: Resistance to tear (from 1 to 4)
- 1: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

## EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.



- .: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.
- | 2 > 30 mn: n-Heptane (I) CAS 142-85-5
- K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 4 > 120 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9

(B)

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

Item details							
Item details	Bar code	COLOUR	SIZE	•	À		
VE780BL08	3295249026011	Blue	08	120	12		
VE780BL09	3295249026028	Blue	09	120	12		
VE780BL10	3295249026035	Blue	10	120	12		