

NSR MULTI

Technical Data Sheet

| | | |
|-------------------------|---------------------------|---------------|
| Product name: NSR Multi | Creation date: 08/12/2020 | Version: 1.0 |
| | | Replaces: 0.0 |

Section 1 : General description

A non silicone release agent based on “edible” vegetable oils with excellent release properties for poly urethane elastomers, flexible polymers, PVC and many other types of polymers. Also applicable as anti-stick agent in textile, foam converting, printing and shoe industry.

Section 2 : Features

- Silicone free formulation.
- Wet coating.
- Operational up to 170°C.
- Does not build up in the mould.
- Improves surface finish.
- Allows post- moulding operations (e.g painting , plating) of the molded part. adhering,...).

Section 3: Applications

Find applications in:

- Injection moulding
- Vacuum forming
- General polymer forming processes
- Textile & shoe industry
- Foam converting

Section 4: Directions

- In case other products have been used before, clean the surface to be treated.
- Apply a uniform film.
- Re-apply as soon as the release shows to become more difficult.

A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.



Section 5: Typical product data (without propellant)

| | |
|----------------|--|
| Aspect | : Clear colourless liquid |
| Odour | : hydrocarbon during evaporation off of the solvents |
| Density @ 20°C | : 0,75 kg/dm ³ |
| Solubility | : insoluble in water, soluble in solvents |

Section 6: Packaging

Aerosol 12x500 ML

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com.

We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.