

# MASTER LINDA



## HANDLE

Handle with double safety system and with selector for 2 speeds. Fitted with protection for hands and accidental ignition.



**3,4Hp**  
**2,5Kw**

**STRONG AND POWERFUL MOTOR**

## TANK (optional)

For using the machine with liquids and detergents.

## CLARKE TOOL CONNECTION

## STRUCTURE

Structure in Aluminium cast, hosting motor, handle and wheels, for an excellent rigidity of the whole set.



# Floor cleaning machines



- › 8 liters tank
- › Two rotation speeds



**Polypropylene brush Ø 500 included**  
(art. 0959)



## MASTER LINDA

| TECHNICAL DATA               |  |  |  |  |  |  |  |
|------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| MASTER LINDA<br>(Art. 0960S) | 3,4Hp /<br>2,5Kw, 10A                                                             | 8 lt                                                                              | 60 / 120 min <sup>-1</sup>                                                        | 60 min <sup>-1</sup><br>(1,3Hp / 1,0Kw)                                           | 120 min <sup>-1</sup><br>(3,4Hp / 2,5Kw)                                            | 69x58x82 cm                                                                         | 72x116x178 cm                                                                       |

| Art.  | Description                                                  |  |  | Euro |
|-------|--------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| 0960S | <b>MASTER LINDA WITH TANK 230V/50HZ. WITH PPN BRUSH Ø500</b> | 1                                                                                   | 40,8                                                                                |      |
| 0960  | <b>MASTER LINDA 230V/50HZ. WITH PPN BRUSH Ø500</b>           | 1                                                                                   | 36,0                                                                                |      |

## FITTINGS

|                                                                                     | Description                                                                                                                                                | Euro | Art.   |  |  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | <b>13 KG SIDE BALLAST</b><br>to increase the ground pressure during smoothing operations                                                                   |      | 096079 | 1                                                                                     | 13,0                                                                                  |
|  | <b>22 KG SIDE BALLAST</b><br>to increase the ground pressure during smoothing operations<br><b>Can be used only with art. 096079 and not individually!</b> |      | 096078 | 1                                                                                     | 22,0                                                                                  |
|  | <b>PPN STEEL BRUSH Ø480 mm</b><br>for cleaning floor surfaces from hard cement                                                                             |      | 0951   | 1                                                                                     | 4,5                                                                                   |
|  | <b>SHEET DISK WITH ROUNDED RIM Ø600 mm</b><br>for finishing cement bases                                                                                   |      | 0954   | 1                                                                                     | 8,5                                                                                   |
|  | <b>DISK FOR ABRASIVE PAPER Ø500 mm</b><br>disk holder for sanding paper discs and tungsten carbide abrasive disk                                           |      | 0957   | 1                                                                                     | 5,5                                                                                   |

|                                                                                     | Description                                                                                                                                     | Euro | Art.     |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | <b>WOLFRAM CARBIDE DISK DOUBLE FACE GRAIN 36 Ø500 mm FOR ART. 0957</b><br>for sanding and abrading applications or light surface preparation    |      | 988/1B   | 1                                                                                   | 0,1                                                                                 |
|    | <b>WOLFRAM CARBIDE DISK DOUBLE FACE GRAIN 100 - Ø500 mm FOR ART. 0957</b><br>for sanding and abrading applications or light surface preparation |      | 988/2B   | 1                                                                                   | 0,1                                                                                 |
|    | <b>TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 14 - Ø500 mm DOUBLE FACE FOR ART. 0957</b>                                                              |      | 09590/14 | 1                                                                                   | 0,1                                                                                 |
|    | <b>TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 24 - Ø500 mm DOUBLE FACE FOR ART. 0957</b>                                                              |      | 09590/24 | 1                                                                                   | 0,1                                                                                 |
|    | <b>TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 36 - Ø500 mm DOUBLE FACE FOR ART. 0957</b>                                                              |      | 09590/36 | 1                                                                                   | 0,1                                                                                 |
|   | <b>VULKOLLAN ROTATING SPATULA Ø560 mm</b><br>for grouting jointed floors                                                                        |      | 0958     | 1                                                                                   | 5,5                                                                                 |
|  | <b>DISK WITH 3 ABRASIVE DISKS GRINDERS 500 MM</b>                                                                                               |      | 09588    | 1                                                                                   | 5,5                                                                                 |
|  | <b>COMPLETE KIT OF ABRASIVE DISKS Ø178 mm FOR ART. 09588</b>                                                                                    |      | 0988K    | 3                                                                                   | 1,5                                                                                 |
|  | <b>COMPLETE SPATULAS KIT FOR ART. 0958</b>                                                                                                      |      | 0958K    | 1                                                                                   | 0,8                                                                                 |
|  | <b>PPN BRUSH 0,80X50 Ø500 mm</b><br>for cleaning narrow joints floors after the grouting                                                        |      | 0959     | 1                                                                                   | 4,5                                                                                 |
|  | <b>FULL VELCRO-DRAWING DISK Ø460 mm</b><br>disk holder for felt discs                                                                           |      | 0956     | 1                                                                                   | 3,5                                                                                 |
|  | <b>BLACK FELT Ø508 mm FOR ART. 0956</b><br>much abrasive for heavy cleanings                                                                    |      | 983/1    | 5                                                                                   | 2,0                                                                                 |
|  | <b>GREEN FELT Ø508 mm FOR ART. 0956</b><br>abrasive for normal cleanings                                                                        |      | 983/2    | 5                                                                                   | 2,0                                                                                 |

# Floor cleaning machines

|                                                                                   | Description                                                                                                                              | Euro | Art.   |  |  |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | <b>BEIGE FELT Ø508 mm FOR ART. 0956</b><br>abrasive for soft cleanings                                                                   |      | 983/3  | 5                                                                                   | 2,0                                                                                 |
|  | <b>WHITE FELT Ø508 mm FOR ART. 0956</b><br>soft for polishing                                                                            |      | 983/4  | 5                                                                                   | 10,0                                                                                |
|  | <b>SPONGE FOR THE FLOORS WASHING H. 5 Ø508 mm FOR ART. 0956</b><br>to emulsify the residue of cement base grout after the grouting phase |      | 09510  | 1                                                                                   | 0,3                                                                                 |
|  | <b>DISK WITH 6 SILICON CARBIDE GRINDERS 500 MM</b>                                                                                       |      | 09589  | 1                                                                                   | 8,0                                                                                 |
|  | <b>COMPLETE KIT OF 6 SILICON CARBIDE Ø110 MM GRINDSTONES, FOR ART. 09589</b>                                                             |      | 09589K | 1                                                                                   | 4,2                                                                                 |



- › 8 liters tank
- › Two rotation speeds



**Polypropylene brush Ø 420 included**  
(art. 099)




## LINDA

| TECHNICAL DATA              |  |  |  |  |  |  |  |
|-----------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>LINDA</b><br>(Art. 090S) | <b>0,9Hp /</b><br><b>0,65Kw, 4,5A</b>                                               | <b>8 lt</b>                                                                         | <b>60 / 120 min<sup>-1</sup></b>                                                    | <b>60 min<sup>-1</sup></b><br><b>(0,37Kw)</b>                                       | <b>120 min<sup>-1</sup></b><br><b>(0,65Kw)</b>                                        | <b>57x43x44 cm</b>                                                                    | <b>85x120x193 cm</b>                                                                  |

| Art. | Description                                           |  |  | Euro |
|------|-------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------|
| 090S | <b>LINDA WITH TANK 230V/50HZ. WITH PPN BRUSH Ø420</b> | 1                                                                                     | 23,0                                                                                  |      |
| 090  | <b>LINDA 230V/50HZ. WITH PPN BRUSH Ø420</b>           | 1                                                                                     | 21,0                                                                                  |      |

# Floor cleaning machines



Machine for surfacing, cleaning, buffing and polishing floors according to the specific accessories.

- › 8 liters tank
- › One rotation speeds



Polypropylene brush Ø 420 included (art. 099)



## LINDA VELOCE

| TECHNICAL DATA            |  |  |  |  |  |
|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| LINDA VELOCE (Art. 0925S) | 2,5Hp / 1,9Kw, 9A                                                                 | 8 lt                                                                              | 207 min <sup>-1</sup>                                                             | 57x43x44 cm                                                                         | 85x120x193 cm                                                                       |

| Art.  | Description                                           |  |  | Euro |
|-------|-------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| 0925S | LINDA VELOCE WITH TANK 230V/50HZ. WITH PPN BRUSH Ø420 | 1                                                                                   | 23,5                                                                                |      |
| 0925  | LINDA VELOCE 230V/50HZ. WITH PPN BRUSH Ø420           | 1                                                                                   | 21,5                                                                                |      |

| Description                                                                                                                                                                                                              | Euro    | Art. |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  SHEET DISK WITH ROUNDED RIM Ø500 mm for finishing cement bases                                                                       | 094     | 1    | 5,5                                                                                   |                                                                                       |
|  DISK FOR ABRASIVE PAPER Ø400 mm disk holder for sanding paper discs and tungsten carbide abrasive disk                               | 097     | 1    | 2,8                                                                                   |                                                                                       |
|  WOLFRAM CARBIDE DISK DOUBLE FACE GRAIN 36 - Ø400 mm FOR ART. 097 for sanding and abrading applications or light surface preparation  | 987/1   | 1    | 0,2                                                                                   |                                                                                       |
|  WOLFRAM CARBIDE DISK DOUBLE FACE GRAIN 100 - Ø400 mm FOR ART. 097 for sanding and abrading applications or light surface preparation | 987/2   | 1    | 0,1                                                                                   |                                                                                       |
|  TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 14 Ø400 mm DOUBLE FACE FOR ART. 097                                                             | 0990/14 | 1    | 0,1                                                                                   |                                                                                       |
|  TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 24 - Ø400 mm DOUBLE FACE FOR ART. 097                                                           | 0990/24 | 1    | 0,1                                                                                   |                                                                                       |
|  TUNGSTEN CARBIDE ABRASIVE DISK GRAIN 36 - Ø400 mm DOUBLE FACE FOR ART. 097                                                           | 0990/36 | 1    | 0,1                                                                                   |                                                                                       |

|                                                                                     | Description                                                                                                                | Euro | Art.   |  |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    | <b>VULKOLLAN ROTATING SPATULA Ø440 mm</b><br>for grouting jointed floors                                                   |      | 098    | 1                                                                                   | 3,2                                                                                 |
|    | <b>COMPLETE SPATULAS KIT FOR ART. 098</b>                                                                                  |      | 098K   | 1                                                                                   | 0,7                                                                                 |
|    | <b>PPN BRUSH 0,80X50 Ø420 mm</b><br>for cleaning narrow joints floors after the grouting                                   |      | 099    | 1                                                                                   | 2,8                                                                                 |
|    | <b>FULL VELCRO-DRAWING DISK Ø380 mm</b><br>disk holder for felt discs                                                      |      | 096    | 1                                                                                   | 1,7                                                                                 |
|    | <b>BLACK FELT Ø406 mm FOR ART. 096</b><br>much abrasive for heavy cleanings                                                |      | 982/1  | 5                                                                                   | 1,6                                                                                 |
|   | <b>GREEN FELT Ø406 mm FOR ART. 096</b><br>abrasive for normal cleanings                                                    |      | 982/2  | 5                                                                                   | 4,5                                                                                 |
|  | <b>BEIGE FELT Ø406 mm FOR ART. 096</b><br>abrasive for soft cleanings                                                      |      | 982/3  | 5                                                                                   | 3,5                                                                                 |
|  | <b>WHITE FELT Ø406 mm FOR ART. 096</b><br>soft for polishing                                                               |      | 982/4  | 5                                                                                   | 1,0                                                                                 |
|  | <b>SPONGE DRAWING DISK Ø380 mm</b>                                                                                         |      | 098SP  | 1                                                                                   | 1,8                                                                                 |
|  | <b>SPONGE FOR THE FLOORS WASHING H. 5 Ø508 mm</b><br>to emulsify the residue of cement base grout after the grouting phase |      | 0910/T | 1                                                                                   | 0,9                                                                                 |
|  | <b>DISK WITH ABRASIVE DISKS</b>                                                                                            |      | 0988   | 1                                                                                   | 3,2                                                                                 |
|  | <b>DISK WITH 3 SILICON CARBIDE Ø400 mm</b><br>grindstones grain 16, for smoothing surfaces                                 |      | 0989   | 1                                                                                   | 4,4                                                                                 |
|  | <b>COMPLETE KIT OF 3 SILICON CARBIDE Ø110 MM GRINDSTONES, FOR ART. 0989</b>                                                |      | 0989K  | 3                                                                                   | 6,3                                                                                 |