

SLOGGING RING WRENCH

Available in mm
and inch



1. To tighten or loosen large nuts and bolts in ship-building and other heavy industries, maintenance of industrial plants.

2. Suitable to be used with hammer or mallet.


Up to 200mm and 6"!

SLOGGING RING MM

COD		L	A	B	C	Kg		
67310	17mm							
67311	18mm							
67312	19mm	145	32	12	7			
67313	20mm							
67314	21mm		38	13	8	0,2		
67315	22mm	155						
67316	23mm							
60881	24mm	165	42	14	8,5			
67317	25mm							
60904	26mm							
60882	27mm	175	46	16	9,5	0,3		
67318	28mm							
67319	29mm		50			0,4	5	1
60883	30mm	185		16				
67320	31mm							
60884	32mm		55		11	0,5		
67321	33mm			18				
67322	34mm	210						
67323	35mm			19		0,6		
60885	36mm		60					
67324	37mm	220						
67325	38mm			20	12	0,7		
60886	41mm	225	65					
60887	42mm							
67326	45mm							
60888	46mm	240	75	22	13	1		
67327	47mm							
67422	48mm							
60889	50mm	250	80	23		1,2		
67328	52mm				14			
67329	54mm		85	24		1,4		
60890	55mm							
67330	56mm							
67331	58mm	270					1	-
67332	59mm		90	26	15	1,6		
60891	60mm							
67333	61mm							
67334	62mm							
67335	63mm							
67336	64mm	300	100	30	16	1,9		
60939	65mm							
67337	66mm							
67338	67mm	320	110	32	17	2,3		
67339	68mm							

COD		L	A	B	C	Kg		
67340	69mm							
60940	70mm	320	110	32	17	2,3		
67341	71mm							
67342	72mm							
67343	73mm							
67499	74mm							
60941	75mm	330	115	33	18	2,9		
67344	76mm							
67345	77mm							
67346	78mm							
67347	79mm	350	125	34	19	3,6		
60942	80mm							
67348	82mm							
67492	84mm	360	130	36	20	3,9		
60943	85mm							
67349	88mm	380	135		23	4,8		
60944	90mm			39				
67350	94mm	390	145			7,5		
60945	95mm							
67351	98mm							
60946	100mm	410	150	43	25	5,8	1	-
67308	102mm							
60947	105mm	420	155			6,5		
67368	108mm					8		
60948	110mm	450	170	45	28	9,5		
60949	115mm							
60950	120mm	480	180	50	30	10		
67352	125mm							
67353	130mm	510	195	55	31	12		
67354	135mm							
67355	140mm	520	210					
67356	145mm				32	14		
67357	150mm	570	220	60				
67358	155mm							
67359	160mm	590	240		33	16		
67360	165mm							
67361	170mm	650	270	65	34	25		
67362	175mm							
67363	180mm							
67364	185mm	690	280	70		33		
67365	190mm				35			
67366	195mm	710	300	75		36		
67367	200mm							

SLOGGING RING INCH.



COD		L	A	B	C	Kg		
67369	1/2"	100	24	9	5	0,1		
67370	3/4"	145	32	12	7			
67371	7/8"	155	38	13	8	0,2		
67372	15/16"	165	42	14	9			
60983	1"	175	46		10	0,3		
60984	1.1/16"							
67373	1.1/8"		50	16		0,4		
60985	1.3/16"	185						
60986	1.1/4"		55		11		5	1
67374	1.5/16"			18		0,5		
61294	1.3/8"	210		19				
67375	1.7/16"		60					
61295	1.1/2"	220						
61296	1.9/16"			20	12	0,7		
60987	1.5/8"	230	65					
67376	1.11/16"							
67377	1.3/4"							
60988	1.13/16"	240	75	22	13		1	
67378	1.7/8"							
67379	1.15/16"	250	80	23				
60989	2"							
67380	2.1/16"				14			
67381	2.1/8"		85	24		1,4		
67382	2.3/16"							
67383	2.1/4"	270					1	-
67384	2.5/16"		90	26	15	1,6		
60990	2.3/8"							
67385	2.7/16"							
67386	2.1/2"							
60991	2.9/16"	300	100	28	16	2,3		
67387	2.5/8"							
67388	2.11/16"							
60992	2.3/4"	320	110	32	17	2,5		
67389	2.13/16"							
67390	2.7/8"	330	115	33	18	3,2		
60993	2.15/16"							


COD		L	A	B	C	Kg		
60994	3"	330	115	33	18	3,2		
67391	3.1/16"							
60995	3.1/8"	350	125	34	19	3,6		
67392	3.1/4"							
67393	3.5/16"	360	130	36	20	3,9		
67394	3.3/8"							
67395	3.1/2"	380	135			4,8		
67396	3.9/16"							
67397	3.5/8"	390	140	39	23	5,2		
67398	3.11/16"							
60996	3.3/4"							
67399	3.13/16"	410	150			5,8		
67400	3.7/8"							
67401	3.15/16"			43	25			
60997	4"							
67402	4.1/16"	420	155			6,5		
60998	4.1/8"							
67403	4.3/16"							
67404	4.1/4"		160			8	1	-
67405	4.5/16"	450		45	28			
67406	4.3/8"							
60999	4.1/2"		170			9,6		
67407	4.9/16"							
67408	4.5/8"							
67409	4.11/16"							
67410	4.3/4"	480	180	50	30	11		
67411	4.13/16"							
67412	4.7/8"							
67413	4.15/16"							
67414	5"							
67415	5.1/4"		200	55	31	12		
67416	5.5/16"	520						
67417	5.3/8"		210					
67418	5.1/2"			60	32	14		
67419	5.3/4"	570				16		
67420	6"	590	220					

DIN 7444

TECHNICAL SPECIFICATIONS

MATERIAL	Special steel	
HARDNESS	From 17mm (1/2") to 46mm (1.15/16")	34-40 HRC
	From 50mm (2") to 200mm (6")	30-36 HRC
FINISHING	Painted in epoxi powder matt black color semi-texturized	


SLOGGING RING MM



COD										
68927	17mm	145	32	12	7	0,2	5	1		
68928	19mm									
68929	22mm									
68930	24mm									
68931	27mm	185	46	16	10	0,3				
68932	30mm					0,4				
68933	32mm					0,5				
68934	36mm					0,6				
68935	41mm	230	65	20	12	0,7				
68936	46mm					14			1	
68937	50mm								1,2	
68938	55mm								1,4	
68939	60mm	270	90	26	15		1,6			
68940	65mm					1,9				
68941	70mm					2,3				
68942	75mm					2,9				
68943	80mm	350	125	34	19	3,6				
68944	85mm					3,9				
68945	90mm					4,8				
68946	100mm					5,8				
68947	110mm	450	170	45	28	8				
68948	120mm					10				
68949	130mm					55	31	12		
68950	140mm								60	32
68951	150mm	220	33	16						
68952	160mm									

DIN 7444

SLOGGING RING INCH.



  								
68687	5/8"	145	32	12	7	0,2	5	1
68614	3/4"							
68615	7/8"	155	38	13	8			
68616	15/16"	165	42	14	9			
68617	1"	175	46	16	10	0,3		
68618	1.1/16"							
68619	1.1/8"	185	50		11	0,4		
68620	1.3/16"							
68621	1.1/4"		210	55		0,5		
68622	1.5/16"	60		18				
68623	1.3/8"			19				
68624	1.7/16"		220		12			
68625	1.1/2"							
68626	1.9/16"							
68627	1.5/8"	230	65	20		12		
68628	1.11/16"							
68629	1.3/4"	240	75	22	13	1		
68630	1.13/16"							
68631	1.7/8"							
68632	1.15/16"	250	80	23	14		1,4	
68633	2"							
68634	2.1/16"	270	85	24		15		1,6
68635	2.1/8"							
68636	2.3/16"							
68637	2.1/4"							
68638	2.5/16"							
68639	2.3/8"	90	26	15	1,6			
68640	2.7/16"							
68641	2.1/2"	300	100	30	16	2,3		
68642	2.9/16"							
68643	2.5/8"							
68644	2.11/16"	320	110	32	17	2,5		
68645	2.3/4"							
68646	2.13/16"							
68647	2.7/8"	330	115	33	18	3,2		
68648	2.15/16"							

[illegible]

DIN 7444

TECHNICAL SPECIFICATIONS

MATERIAL	Special steel	
HARDNESS	From 17mm (5/8") to 46mm (1.3/4")	34-40 HRC
	From 50mm (1.13/16") to 160mm (6")	30-36 HRC
FINISHING	Painted in epoxi powder matt black color semi-texturized	

“This document has been created by and is the property of EGA Master S.A. Thus, all intellectual rights belong to EGA Master. Any total or partial copy of this document in any physical, electronic or any other form is strictly forbidden. EGA Master will legally proceed against any infringement of these rights.”