

---

# Red Hawk Drill

The Red Hawk Drill combines breaking and drilling in one convenient tool with no external power source needed.

Part Number	Chuck Size
8318-0900-40	Hex $\frac{7}{8}$ " x $4\frac{1}{4}$ "

Whether you're breaking a small patch of concrete or splitting a rock, the Red Hawk Drill can do the job in the time it would take to set up a compressor and hoses for a pneumatic breaker. This convenient, multipurpose tool is perfect for remote areas that are difficult to access. It also works with a wide range of working tools, so you can use it to break, drill, drive, compact and more.

## Features and Benefits

- Compact, lightweight and portable
- Easy to maneuver with low center of gravity and carrying handle
- Ergonomic vibration-reducing handles allow operators to work longer
- Hand throttle provides excellent control

- Built-in air flushing device allows drilling to depths of 2 m (6.6 ft)
- Optional carrying harness, trolley or wooden case available for easy transport

Typically \$250-\$500 LTL Shipping\*

\* LTL rates are currently volatile and vary widely depending on delivery conditions. We send all LTL shipments out for bid to logistics companies to find the best price and service. Shipping to Residential addresses will be higher.



## Applications

Well suited for light service applications such as installing signposts, breaking small areas of concrete, fencing, and digging holes in hard and frozen ground.

## Specifications

**WEIGHT:** 55.1 lbs

**LENGTH:** 28.8 in

**IMPACT ENERGY:** 16-18 ft-lb

**BLOW FREQUENCY:** 2700 bpm

**POWER:** 2 kW

**MOTOR:** 185 cc, 2 stroke

**FUEL CAPACITY:** 0.26 gal

**FUEL MIX:** 2%

**FUEL CONSUMPTION:** 0.29-0.33 gal/hour

**VIBRATION LEVEL 3-AXIS:** Breaking: 19.0 (ISO 28927-10 on Dynaload) \* ft/s<sup>2</sup>  
Drilling: 30.5 (ISO 28927-10 on Dynaload) \* ft/s<sup>2</sup>

**SOUND POWER LEVEL GUARANTEED:** 108 (2000/14/)\* dB(A)

**ALKYLATE FUEL:** Yes